

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	32	(US-20030097357-\$ or US-20050018152-\$ or US-20030004882-\$ or US-20050131853-\$ or US-20040117540-\$ or US-20020023089-\$ or US-20040117363-\$ or US-20030079087-\$ or US-20030128236-\$).did. or (US-5293609-\$ or US-5317727-\$ or US-6516397-\$ or US-5485609-\$ or US-6345351-\$ or US-6678795-\$ or US-5537573-\$ or US-6134643-\$ or US-6557079-\$ or US-5551000-\$ or US-6584468-\$ or US-4758951-\$ or US-5918229-\$ or US-6591269-\$ or US-4758946-\$ or US-5305389-\$ or US-5845274-\$ or US-6307548-\$ or US-6618727-\$ or US-5925100-\$ or US-6154813-\$ or US-6347364-\$). did. or (US-20050018152-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 09:23
L2	1	(pin\$4 near8 pointer\$1) AND L1	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:20
L4	1	(pin\$4 WITH pointer\$1) AND L1	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 09:23
L5	1	(pin\$4 SAME pointer\$1) AND L1	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 09:23
L6	2	(pin\$4 AND pointer\$1) AND L1	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:15
L7	5	((pin\$4 OR latch\$3 OR lock\$3) WITH (pointer\$1 OR indicat\$3 OR identify\$4)) AND L1	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 09:59
L8	8	((pin\$4 OR latch\$3 OR lock\$3) SAME (pointer\$1 OR indicat\$3 OR identify\$4)) AND L1	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:04
L9	12	((pin\$4 OR latch\$3 OR lock\$3) And (pointer\$1 OR indicat\$3 OR identify\$4)) AND L1	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:53
L12	1357	(pin\$4 near5 pointer\$1)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:21

EAST Search History

L13	25727	((711/3,132-134,136-137,159-160, 202-207,221,154) or (707/10,200, 203,3,100) or (712/237)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/04/24 12:30
L14	16	L12 AND L13	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:36
L19	6	(travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) near5 pag\$3 near5 ((parent\$1) near3 (child OR children))	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:41
L20	1	((travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) near5 pag\$3 near5 ((parent\$1) near3 (child OR children))) SAME (weigh\$3 OR evaluat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:43
L21	2	((travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) WITH pag\$3 WITH ((parent\$1) near3 (child OR children))) SAME (weigh\$3 OR evaluat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:43
L22	2	((travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) WITH pag\$3 WITH ((parent\$1) near5 (child OR children))) SAME (weigh\$3 OR evaluat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 11:03
L23	27	((travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) WITH ((parent\$1) near5 (child OR children))) SAME (weigh\$3 OR evaluat\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:44
L24	328	((pin\$4 OR latch\$3 OR lock\$3 OR fix\$3) near5 (pointer\$1)) AND L13	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 10:53
L25	2	((travers\$4 OR transition\$3 OR load\$3 OR prefetch\$3) WITH ((parent\$1) near5 (child OR children))) SAME (weigh\$3 OR evaluat\$3) SAME pag\$3	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 11:03
L26	1170	node\$1 near5 XML	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 15:52
L27	218	L26 AND L13	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 13:56

EAST Search History

L29	15	((("5809563") or ("5897660") or ("6026474") or ("6067565") or ("6081799") or ("6085193") or ("6347364") or ("6385641") or ("6408364") or ("6408368") or ("6473840") or ("6496912") or ("20020078165") or ("20020103778") or ("20030018876"))).PN.	US-PGPUB; USPAT	OR	OFF	2006/04/24 12:22
L30	49	(US-5819079-\$ or US-6035393-\$ or US-6026474-\$ or US-5694568-\$ or US-5701467-\$ or US-5293609-\$ or US-5426764-\$ or US-5450561-\$ or US-5838945-\$ or US-5854911-\$ or US-5956039-\$ or US-6393544-\$ or US-6397379-\$ or US-6496909-\$ or US-5845331-\$ or US-6003123-\$ or US-6178519-\$ or US-6389422-\$ or US-6442682-\$ or US-6154813-\$ or US-6510435-\$ or US-6516397-\$ or US-6886085-\$ or US-6049853-\$ or US-5806065-\$ or US-6163834-\$). did. or (US-6085296-\$ or US-6072495-\$ or US-5659777-\$ or US-5867656-\$ or US-6216212-\$ or US-4914621-\$ or US-6029180-\$ or US-5724538-\$ or US-4761737-\$ or US-5251303-\$ or US-5517643-\$ or US-5530822-\$ or US-5604894-\$ or US-5604889-\$ or US-5727178-\$ or US-5925100-\$ or US-6112286-\$ or US-6349380-\$ or US-6598143-\$ or US-5317727-\$ or US-5386519-\$ or US-5802292-\$ or US-6012106-\$). did.	USPAT	OR	ON	2006/04/24 12:22
L32	1	L26 AND (L29 OR L30 OR L1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:22
L33	67	L27 AND cach\$3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:23
L34	28461	("711").CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/04/24 12:30
L35	2	L26 AND L34	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:30

EAST Search History

L36	14	(node\$1 WITH XML) AND L34	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:31
L37	168	(weigh\$4 OR bias\$4 OR trend\$1) near5 (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:09
L38	12	L37 AND L13	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:00
L39	1	(weigh\$4 OR bias\$4 OR trend\$1) near5 (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1)) near5 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:14
L40	2	(weigh\$4 OR bias\$4 OR trend\$1) WITH (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1)) near5 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:14
L41	2	(weigh\$4 OR bias\$4 OR trend\$1) WITH (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1)) near10 (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:15
L42	4	(weigh\$4 OR bias\$4 OR trend\$1) WITH (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1)) WITH (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:16
L43	6	(weigh\$4 OR bias\$4 OR trend\$1) SAME (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR brother\$1 OR daughter\$1)) WITH (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:32
L44	6	(weigh\$4 OR bias\$4 OR trend\$1) SAME (((parent\$2 OR father\$1 OR mother\$1) near5 (child OR children OR son\$1 OR daughter\$1)) WITH (transition\$3 OR travers\$5 OR transvers\$4))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:46

EAST Search History

L45	938798	(LAN\$1 OR ((local OR wide) ADJ area ADJ network\$1) OR WAN\$1 OR internet OR (cellular ADJ network\$1) OR (wireless ADJ network\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:48
L46	34	(US-20030097357-\$ or US-20050018152-\$ or US-20030004882-\$ or US-20050131853-\$ or US-20040117540-\$ or US-20020023089-\$ or US-20040117363-\$ or US-20030079087-\$ or US-20030128236-\$).did. or (US-5293609-\$ or US-5317727-\$ or US-6516397-\$ or US-5485609-\$ or US-6345351-\$ or US-6678795-\$ or US-5537573-\$ or US-6134643-\$ or US-6557079-\$ or US-5551000-\$ or US-6584468-\$ or US-4758951-\$ or US-5918229-\$ or US-6591269-\$ or US-4758946-\$ or US-5305389-\$ or US-5845274-\$ or US-6307548-\$ or US-6618727-\$ or US-5925100-\$ or US-6154813-\$ or US-6347364-\$ or US-4277826-\$ or US-6072951-\$). did. or (US-20050018152-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/24 14:48
L47	15	L45 AND L46	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 14:51
L48	151	node\$1 near5 (associat\$3 OR relat\$3 OR affiliat\$3) near5 XML	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:03
L49	1	L48 SAME (cach\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 16:04
L50	37	L26 SAME (cach\$3)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 17:16
L54	59	L26 AND (cach\$3) AND L13 NOT L50	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 17:18

EAST Search History

S1	15	((("5809563") or ("5897660") or ("6026474") or ("6067565") or ("6081799") or ("6085193") or ("6347364") or ("6385641") or ("6408364") or ("6408368") or ("6473840") or ("6496912") or ("20020078165") or ("20020103778") or ("20030018876"))).PN.	US-PGPUB; USPAT	OR	OFF	2006/04/20 15:00
S2	49	(US-5819079-\$ or US-6035393-\$ or US-6026474-\$ or US-5694568-\$ or US-5701467-\$ or US-5293609-\$ or US-5426764-\$ or US-5450561-\$ or US-5838945-\$ or US-5854911-\$ or US-5956039-\$ or US-6393544-\$ or US-6397379-\$ or US-6496909-\$ or US-5845331-\$ or US-6003123-\$ or US-6178519-\$ or US-6389422-\$ or US-6442682-\$ or US-6154813-\$ or US-6510435-\$ or US-6516397-\$ or US-6886085-\$ or US-6049853-\$ or US-5806065-\$ or US-6163834-\$). did. or (US-6085296-\$ or US-6072495-\$ or US-5659777-\$ or US-5867656-\$ or US-6216212-\$ or US-4914621-\$ or US-6029180-\$ or US-5724538-\$ or US-4761737-\$ or US-5251303-\$ or US-5517643-\$ or US-5530822-\$ or US-5604894-\$ or US-5604889-\$ or US-5727178-\$ or US-5925100-\$ or US-6112286-\$ or US-6349380-\$ or US-6598143-\$ or US-5317727-\$ or US-5386519-\$ or US-5802292-\$ or US-6012106-\$). did.	USPAT	OR	ON	2006/04/19 16:44
S3	15	((("5809563") or ("5897660") or ("6026474") or ("6067565") or ("6081799") or ("6085193") or ("6347364") or ("6385641") or ("6408364") or ("6408368") or ("6473840") or ("6496912") or ("20020078165") or ("20020103778") or ("20030018876"))).PN.	US-PGPUB; USPAT	OR	OFF	2006/04/20 14:57
S4	6	(prefetch\$3 near5 pag\$3) AND S3	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:14

EAST Search History

S5	49	(US-5819079-\$ or US-6035393-\$ or US-6026474-\$ or US-5694568-\$ or US-5701467-\$ or US-5293609-\$ or US-5426764-\$ or US-5450561-\$ or US-5838945-\$ or US-5854911-\$ or US-5956039-\$ or US-6393544-\$ or US-6397379-\$ or US-6496909-\$ or US-5845331-\$ or US-6003123-\$ or US-6178519-\$ or US-6389422-\$ or US-6442682-\$ or US-6154813-\$ or US-6510435-\$ or US-6516397-\$ or US-6886085-\$ or US-6049853-\$ or US-5806065-\$ or US-6163834-\$). did. or (US-6085296-\$ or US-6072495-\$ or US-5659777-\$ or US-5867656-\$ or US-6216212-\$ or US-4914621-\$ or US-6029180-\$ or US-5724538-\$ or US-4761737-\$ or US-5251303-\$ or US-5517643-\$ or US-5530822-\$ or US-5604894-\$ or US-5604889-\$ or US-5727178-\$ or US-5925100-\$ or US-6112286-\$ or US-6349380-\$ or US-6598143-\$ or US-5317727-\$ or US-5386519-\$ or US-5802292-\$ or US-6012106-\$). did.	USPAT	OR	ON	2006/04/20 14:58
S6	14	(prefetch\$3 near5 pag\$3) AND S5	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 14:58
S7	1	("20030097357").PN.	US-PGPUB; USPAT	OR	OFF	2006/04/20 15:00
S8	168	(prefetch\$3 OR speculat\$4 OR preread\$3 OR (pre ADJ (read\$3 OR petch\$3))) near5 (pag\$3) AND (virtual near2 memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:18
S9	23	((prefetch\$3 OR speculat\$4 OR preread\$3 OR (pre ADJ (read\$3 OR petch\$3))) near5 (pag\$3) near5 (usage OR (access ADJ pattern\$1) statistic\$4 OR access\$2)) AND (virtual near2 memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:31
S10	2	("20050018152").PN.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/04/20 15:20
S11	25727	((711/3,132-134,136-137,159-160, 202-207,221,154) or (707/10,200, 203,3,100) or (712/237)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/04/20 19:01

EAST Search History

S12	71	S11 AND S8	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:39
S13	10	(Asynchronous ADJ prefetch\$3 OR asynch ADJ prefetch\$3 OR APF) AND (virtual near2 memory)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 15:46
S14	14	("5361391" "5537573" "5761706" "5925100" "6026474" "6134643" "6173392" "6182111" "6182122" "6233645" "6484239" "6549896" "6557079").PN. OR ("6678795"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 16:27
S15	134	((prefetch\$3 OR speculat\$4 OR preread\$3 OR (pre ADJ (read\$3 OR petch\$3))) near5 (pag\$3) near5 (usage OR (access ADJ pattern\$1) statistic\$4 OR access\$2 OR characteristic\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:32
S16	2	S14 AND S15	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:32
S17	2257	((prefetch\$3 OR speculat\$4 OR preread\$3 OR (pre ADJ (read\$3 OR petch\$3))) near5 (usage OR (access ADJ pattern\$1) OR statistic\$4 OR access\$2 OR characteristic\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:32
S18	11	S14 AND S17	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 16:32
S19	28	("4860197" "4980823" "5305389").PN. OR ("5485609"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 17:29
S20	0	(evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3 near5 (memory OR cache\$1 OR RAM\$1 OR DRAM\$1 OR SRAM\$1 OR SDRAM\$1) near5 (LRU OR (least ADJ recently ADJ used)) SAME (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 17:46

EAST Search History

S21	2	(evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3 near5 (memory OR cache\$1 OR RAM\$1 OR DRAM\$1 OR SRAM\$1 OR SDRAM\$1) near5 (LRU OR (least ADJ recently ADJ used)) AND (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 17:52
S22	5	(evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3 near5 (LRU OR (least ADJ recently ADJ used)) AND (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 17:52
S23	80	((weight\$3 OR evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3) SAME (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 18:16
S24	9	S23 AND S11	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 17:55
S25	0	((evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 weight\$3 near5 pag\$3) SAME (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 18:17
S26	21	((evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3) SAME (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 18:28
S27	1	((evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3) SAME (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3))) SAME weight\$3	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 18:17
S28	67	((evict\$4 OR victim\$7 OR discard\$4 OR flush\$4) near5 pag\$3) AND (page\$3 near5 (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3))))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 18:59

EAST Search History

S29	23	S28 AND S11	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 19:20
S30	59	((evict\$4 OR victim\$7 OR swap\$4 OR remov\$3 OR discard\$4 OR flush\$4) near5 pag\$3) SAME (page\$3 near5 (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3))))	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 19:00
S31	28	((evict\$4 OR victim\$7 OR swap\$4 OR remov\$3 OR discard\$4 OR flush\$4) near5 pag\$3) AND (page\$3 near5 (children OR child OR parent\$1 OR ((minimum OR min OR maximum OR max) near3 (step\$3 OR level\$3)))) AND S11 NOT S29	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/21 11:47
S32	33745	("707").CLAS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/04/20 19:01
S33	11	S30 AND (S11 OR S32)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/20 19:01
S34	25	S31 NOT S30	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/20 19:06
S36	3	(weigh\$3 OR evaluat\$3 OR estimat\$3) near5 page\$3 near5 (children OR child) near5 parent\$1	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/21 11:53
S37	1	(weigh\$3 OR evaluat\$3 OR estimat\$3) near5 page\$3 near5 ((number\$1 OR value\$1 OR quantit\$3) near5 ((children OR child) near5 parent\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:56
S38	2	(weigh\$3 OR evaluat\$3 OR estimat\$3) near10 page\$3 near10 ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 ((children OR child) near5 parent\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 11:59
S40	3	(weigh\$3 OR evaluat\$3 OR estimat\$3) WITH page\$3 WITH ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 ((children OR child) near5 parent\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:01

EAST Search History

S41	12	(weigh\$3 OR evaluat\$3 OR estimat\$3) SAME page\$3 SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 ((children OR child) near5 parent\$1))	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:08
S42	14	(weigh\$3 OR evaluat\$3 OR estimat\$3) SAME page\$3 SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:12
S43	1	((evict\$4 OR victim\$7 OR swap\$4 OR remov\$3 OR discard\$4 OR flush\$4 OR deallocat\$3 OR de-allocat\$3) near5 page\$3) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:15
S44	2	((evict\$4 OR victim\$7 OR swap\$4 OR remov\$3 OR discard\$4 OR flush\$4 OR deallocat\$3 OR de-allocat\$3) WITH page\$3) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:19
S45	24	(US-20030097357-\$ or US-20050018152-\$ or US-20030004882-\$ or US-20050131853-\$ or US-20040117540-\$ or US-20020023089-\$ or US-20040117363-\$ or US-20030079087-\$).did. or (US-5293609-\$ or US-5317727-\$ or US-6516397-\$ or US-5485609-\$ or US-6345351-\$ or US-6678795-\$ or US-5537573-\$ or US-6134643-\$ or US-6557079-\$ or US-5551000-\$ or US-6584468-\$ or US-4758951-\$ or US-5918229-\$ or US-6591269-\$ or US-4758946-\$).did. or (US-20050018152-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/21 12:15

EAST Search History

S46	172	(evict\$4 OR victim\$7 OR swap\$4 OR remov\$3 OR discard\$4 OR flush\$4 OR deallocat\$3 OR de-allocat\$3) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:32
S47	15	((("5809563") or ("5897660") or ("6026474") or ("6067565") or ("6081799") or ("6085193") or ("6347364") or ("6385641") or ("6408364") or ("6408368") or ("6473840") or ("6496912") or ("20020078165") or ("20020103778") or ("20030018876")).PN.	US-PGPUB; USPAT	OR	OFF	2006/04/21 12:19
S48	49	(US-5819079-\$ or US-6035393-\$ or US-6026474-\$ or US-5694568-\$ or US-5701467-\$ or US-5293609-\$ or US-5426764-\$ or US-5450561-\$ or US-5838945-\$ or US-5854911-\$ or US-5956039-\$ or US-6393544-\$ or US-6397379-\$ or US-6496909-\$ or US-5845331-\$ or US-6003123-\$ or US-6178519-\$ or US-6389422-\$ or US-6442682-\$ or US-6154813-\$ or US-6510435-\$ or US-6516397-\$ or US-6886085-\$ or US-6049853-\$ or US-5806065-\$ or US-6163834-\$). did. or (US-6085296-\$ or US-6072495-\$ or US-5659777-\$ or US-5867656-\$ or US-6216212-\$ or US-4914621-\$ or US-6029180-\$ or US-5724538-\$ or US-4761737-\$ or US-5251303-\$ or US-5517643-\$ or US-5530822-\$ or US-5604894-\$ or US-5604889-\$ or US-5727178-\$ or US-5925100-\$ or US-6112286-\$ or US-6349380-\$ or US-6598143-\$ or US-5317727-\$ or US-5386519-\$ or US-5802292-\$ or US-6012106-\$). did.	USPAT	OR	ON	2006/04/21 12:19
S49	0	S46 AND (S47 OR S48)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:20
S50	0	S46 AND (S47 OR S48 OR S45)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 16:53

EAST Search History

S51	25727	((711/3,132-134,136-137,159-160, 202-207,221,154) or (707/10,200, 203,3,100) or (712/237)).CCLS.	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	OFF	2006/04/21 12:20
S52	35	S46 AND (S51)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:21
S53	250	(weigh\$3 OR evaluat\$3 OR estimat\$3) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 13:02
S54	28	S53 AND S51	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:33
S55	7	((weigh\$3 OR evaluat\$3 OR estimat\$3) near10 (pag\$3 OR chunk\$1 OR fram\$3)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:39
S56	0	((weigh\$3 OR evaluat\$3 OR estimat\$3) WITH (pag\$3 OR chunk\$1 OR fram\$3)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 (children OR child)) SAME ((number\$1 OR numeric\$4 OR value\$1 OR quantit\$3 OR amount) near10 parent\$1) NOT S55	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 12:39
S58	20	(weigh\$3) SAME ((number\$1 OR numeric\$4) near5 (children OR child)) SAME ((number\$1 OR numeric\$4) near5 parent\$1)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/21 13:04
S59	1	(US-6347364-\$.did.	USPAT	OR	ON	2006/04/21 16:15
S60	10	(pin\$4) AND (S47 OR S48 OR S45)	US-PGPUB; USPAT; DERWENT; IBM_TDB	OR	ON	2006/04/24 12:22

EAST Search History

S61	32	(US-20030097357-\$ or US-20050018152-\$ or US-20030004882-\$ or US-20050131853-\$ or US-20040117540-\$ or US-20020023089-\$ or US-20040117363-\$ or US-20030079087-\$ or US-20030128236-\$).did. or (US-5293609-\$ or US-5317727-\$ or US-6516397-\$ or US-5485609-\$ or US-6345351-\$ or US-6678795-\$ or US-5537573-\$ or US-6134643-\$ or US-6557079-\$ or US-5551000-\$ or US-6584468-\$ or US-4758951-\$ or US-5918229-\$ or US-6591269-\$ or US-4758946-\$ or US-5305389-\$ or US-5845274-\$ or US-6307548-\$ or US-6618727-\$ or US-5925100-\$ or US-6154813-\$ or US-6347364-\$). did. or (US-20050018152-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2006/04/21 17:16
-----	----	--	--------------------------------	----	----	------------------

☐ [Search Session History](#)

[BROWSE](#)

[SEARCH](#)

[IEEE XPLORE GUIDE](#)

[SUPPORT](#)

Mon, 24 Apr 2006, 2:41:08 PM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- [Add a query to the Search Query Display](#)
- [Combine search queries using AND, OR, or NOT](#)
- [Delete a search](#)
- [Run a search](#)



Recent Search Queries

		Results
#1	(((weigh* or bias* or trend*) <paragraph> (((parent* or father* or mother*) <near/5> (child or children or son* or daughter*)) <paragraph> (transition* or travers* or transvers*))) <in>metadata)	0
#2	(((weigh* or bias* or trend*) <paragraph> (((parent* or father* or mother*) <near/5> (child or children or son* or daughter*))) <in>metadata)	8
#3	(((weigh* or bias* or trend*) <paragraph> (((parent* or father* or mother*) <near/5> (child or children or son* or daughter*))) <in>metadata)	8
#4	(((weigh* or bias* or trend*) <paragraph> (((parent* or father* or mother*) <paragraph> (child or children or son* or daughter*))) <in>metadata)	13
#5	(((weigh* or bias* or trend*) <paragraph> (((parent* or father* or mother*) <paragraph> (child or children or son* or daughter*))) <in>metadata)	13



Key: IEEE JNL = IEEE Journal or Magazine, IEE JNL = IEE Journal or Magazine, IEEE CNF = IEEE Conference, IEE CNF = IEE Conference, IEEE STD = IEEE Standard

1. **On the coveting radius of extremal self-dual codes**
Assmus, E.; Pless, V.;
Information Theory, IEEE Transactions on
Volume 29, Issue 3, May 1983 Page(s):359 - 363
IEEE JNL
2. **Genetic K-means algorithm**
Krishna, K.; Narasimha Murty, M.;
Systems, Man and Cybernetics, Part B, IEEE Transactions on
Volume 29, Issue 3, June 1999 Page(s):433 - 439
IEEE JNL
3. **Keeping watch on glucose**
Tamada, J.A.; Lesho, M.; Tierney, M.J.;
Spectrum, IEEE
Volume 39, Issue 4, April 2002 Page(s):52 - 57
IEEE JNL
4. **Towards a more constructive use of technology in mathematics and science**
Mavrotheris, E.; Meletiou-Mavrotheris, M.; Maouri, C.;
Information and Communication Technologies: From Theory to Applications, 2004. Proceedings. 2004 International Conference on
19-23 April 2004 Page(s):115 - 116
IEEE CNF
5. **Spatially adaptive denoising based on mixture modeling and interscale dependencies of wavelet coefficients**
Il-Kyu Eom; Yoo-Shin Kim;
Neural Networks and Signal Processing, 2003. Proceedings of the 2003 International Conference on
Volume 2, 14-17 Dec. 2003 Page(s):1070 - 1073 Vol.2
IEEE CNF
6. **Self-creating and organizing neural networks with weight duplication**
Iwasaki, M.; Hashiyama, T.; Okuma, S.;
Neural Networks, 2000. IJCNN 2000, Proceedings of the IEEE-INNS-ENNS International Joint Conference on
Volume 4, 24-27 July 2000 Page(s):602 - 607 vol.4
IEEE CNF
7. **Non-redundant genetic coding of neural networks**
Thierens, D.;
Evolutionary Computation, 1996., Proceedings of IEEE International Conference on
20-22 May 1996 Page(s):571 - 575
IEEE CNF
8. **Parents, children, neighbors and the shadow [binary code theorems]**
Pless, V.;
Information Theory, 1994. Proceedings., 1994 IEEE International Symposium on
27 June-1 July 1994 Page(s):303
IEEE CNF